Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX TO VOLUME VIII.

ACANTHIS brewsteri, 105.
Accipiter bicolor, 161.
cooperi, 107, 108.
velox, 137.
Actitis hypoleucus, 16.
macularia, 48, 77, 119, 137, 163, 166, 295, 300, 394.
Æchmophorus occidentalis, 366.
Ægialitis collaris, 163.
meloda, 351.
peronii, 16.
semipalmata, 48, 165, 190, 236, 298, 351.
vocifera, 76, 107, 296, 351, 394.
wilsonia, 76, 339, 350, 351.
Æstrelata caribbæa, 355.
hæsitata, 62.
Agelaius phœniceus, 132, 138, 195, 197.
phœniceus bryanti, 71, 295, 296, 334, 350, 352.
Aix sponsa, 129, 131, 137, 290, 364, 366, 390, 391.
Ajaja ajaja, 351.
Alauda duponti, 92.
Albatross, Wandering, 388.
Alcedo asiatica, 10.
coromanda, 10.
meningting, 10.
pileata, 10.
Allen, F. H., summer birds of the Bras d'Or region of Cape Breton Island, Nova Scotia, 164.
Allen, J. A., description of a new species of *Mimocichla*, from the Island of Dominica, West Indies, 217; capture of *Geothlypis poliocephala palpebralis* in Cameron County, Texas, 316; note on *Mimocichla verrillorum*, 317.
Allenia montana, 42, 47, 48, 49.
Amazona festiva, 160.
leucocephala, 293.
ochrocephala, 160.
American Ornithologists' Union, Eighth Congress of, 80.
American Ornithologists' Union Check-List of North American Birds, Third supplement to the, 83.
Ammodramus caudacutus, 106.
caudacutus nelsoni, 115.
caudacutus subvirgatus, 115.
henslowii, 146, 385.
henslowii occidentalis, 145.
leconteii, 50, 51, 52, 168.
maritimus, 106, 133.
maritimus peninsulæ, 133, 138.
sandwichensis savanna, 197, 334, 338, 339.
savannarum passerinus, 108, 167, 296.
savannarum perpallidus, 108.
Ampelis cedrorum, 138, 165, 166, 294, 295, 329, 395.
garrulus, 386.
Amphispiza belli cinerea, 86, 305.
Amydrus tristrami, 92.
Anas americana, 137, 363, 366.
boschas, 363, 366, 390.
carolinensis, 364, 366.
crecca, 112.
cyanoptera, 366.
discors, 364, 366.
fulvigula, 137.
maxima, 363.
obscura, 342, 363.
strepera, 363.
Anhinga anhinga, 129, 137, 180.
Anhinga, 180.
Ani, 74, 293, 386.
Groove-billed, 313.
Anorrhinus galeritus, 9, 10.
Anous stolidus, 48, 79, 358, 361.
Anser albifrons gambeli, 367.
condoni, 367.
Anthrococeros convexus, 9.
Anthus pensilvanicus, 300, 385.
Antrostomus carolinensis, 73, 135, 138, 190.
sp. incog., 30.

Antrostomus vociferus, 33.
Aquila chrysaëtos, 108, 113.
pliogryps, 368.
sodalis, 368.
Ara ararauna, 159.
chloroptera, 159.
hyacinthina, 159.
maracana, 159.
Aramides cayennensis, 163.
Aramus giganteus, 180.
Arboricola charltoni, 15.
Arboriphila charltoni, 15.
Ardea bahamensis, 78.
candidissima, 137, 161, 351.
cœrulea, 47, 77, 129, 130, 137, 180.
cyanirostris, 77.
cyanurus, 161.
egretta, 120, 137, 161, 180, 294.
herodias, 77, 107, 109, 165, 233, 294-297.
leucogastra leucoprymna, 77.
occidentalis, 107.
paloccidentalis, 367.
pealei, 335.
rufescens, 77, 233, 296, 335.
tricolor ruficollis, 71, 77, 130, 137, 233, 295 297, 337.
virescens, 47, 48, 129, 137, 232, 295, 350, 351.
virescens bahamensis, 296, 335, 337, 338.
wardi, 128, 129, 135, 137.
Ardetta neoxena, 309.
Arenaria interpres, 164, 337, 351, 352.
Argus grayi, 14.
Arsnicker, 77.
Asio wilsonianus, 108.
Asturina nitida, 161.
Attila citriniventris, 25.
viridescens, 25.
Audubon, J. J., notice of an edition of his 'Ornithological Biography', 230.
Auk, Great, 174, 306, 388.
Averill, C. K., Jr., Brünnich's Murre in Connecticut, 307.
Aythya affinis, 128, 137, 294, 296, 364.
americana, 287, 364.
collaris, 364.
marila nearctica, 337, 338. 366.
vallisneria, 364.

BALDPATE, 363.
Bartramia longicauda, 24.
Belding, L., notice of his 'Land Birds of the Pacific District', 104.
Bellona exilis, 47, 48.
Berlepschia rikeri, 26.
Bird, Banana, 70.
Egg, 361.
Gulf, 235.
Man-o'-war, 71, 79, 363, 387.
Red-billed Tropic, 362.
Tropic, 293.
Whale, 235.
Yellow-billed Tropic, 249, 362.
Bittern, 151.
American, 386.
Black, 309.
Brown, 309.
Cory's, 309.
Blacicus bahamensis, 72.
brunneicapillus, 49.
Blackbird, Bahaman Red-winged, 71.
Brewer's, 167.
Crow, 167.
Red-winged, 132, 197.
Bluebird, 128, 197, 239, 333.
Bobolink, 352.
Bob-white, 326, 387.
Bolles, F., Yellow-bellied Woodpeckers and their uninvited guests, 256.
Bonasa umbellus, 326, 387, 388, 390.
umbellus togata, 165.
Booby, 250, 361, 363.
Blue-faced, 363.
Dry Land, 355.
Red-footed, 362.
Botaurus lentiginosus, 107, 151, 166, 386.
neoxenus, 309.
Bowdish, B. S., the Yellowlegs (*Totanus flavipes*) breeding in Ontario County, N. Y., 394; the Turkey Vulture (*Cathartes aura*) in Ontario County, N. Y., 394; breeding of the Mourning Warbler in Ontario County, N. Y., 396.
Bowerbird, Tooth-billed, 115.
Brant, 342.
Branta bernicla, 342.
canadensis, 341, 365, 367.
hypsibatus, 367.
propinqua, 367.
Brewster, W., a study of Florida Gallinules with some notes on a nest found at Cambridge, Massachusetts, 1; descriptions of seven supposed new North American

birds, 139; notes on Bachman's Warbler (*Helminthophila bachmani*), 149; the Whistling Swan in Massachusetts, 232; *Megascops asio macfarlanei*—a correction, 237.
Brewster, W., and Chapman, F. M., notes on the birds of the lower Suwanee River, 125.
Brimley, C. S., on the breeding habits of *Dendroica vigorsii* at Raleigh, North Carolina, 199; Bachman's Warbler (*Helminthophila bachmani*) at Raleigh, N. C., 316.
Brotogerys tovi, 188.
tui, 160.
tuipara, 160.
virescens, 160.
Browne, F. C., Scott's Oriole in California, 238.
Bubo blakistoni, 100.
virginianus, 109, 368.
virginianus subarcticus, 303.
Bucco duvaucelii, 8.
maculatus, 158.
tamatia, 158.
tectus, 158.
Buceros convexus, 9.
galeritus, 9.
rhinoceros, 8.
Bunting, Black-throated, 116.
Indigo, 329.
Busarellus nigricollis, 161.
Butastur indicus, 13.
Buteo borealis, 48, 137, 327, 350.
borealis harlani, 88.
brachyurus, 90.
harlani, 88.
latissimus, 47.
lineatus, 129, 137.
lineatus alleni, 240.
pennsylvanicus, 107.
Butler, A. W., notice of his 'Birds of Indiana', 383.
Buzzard, 293, 327.
Turkey, 76, 109, 129, 391.

CAHOON, J. C., death of, 320.
Cairina moschata, 161.
Calcarius pictus, 51, 52, 167.
Calidris arenaria, 119.
Callialcyon coromanda, 10.
Callichelidon cyaneoviridis, 70, 87, 294, 295, 334, 350, 352.
Callipepla squamata, 389.
Callolophus malaccensis, 7.
mentalis, 7.
Calorhamphus fuliginosus, 8.
sanguinolentus, 8.
Callothrus æneus, 345.
robustus, 273, 345.
Calypte helenæ, 187.
Campephilus imperialis, 175.
principalis, 136, 137, 174.
principalis bairdii, 175.
Camptolaimus labradorius, 174, 201.
Canadian Institute, notice of ornithological notes in Transactions of, 302.
Canvasback, 364.
Cardinal, 127, 329.
Cardinalis cardinalis, 107, 127, 138, 329.
Carduelis carduelis, 314.
Caridagrus concretus, 10.
Carpodacus amplus, 220-222.
cassini, 220, 222.
mexicanus frontalis, 220, 222.
purpureus, 302.
Carpophaga ænea, 14.
Catbird, 32, 66, 109, 152, 197, 333.
Catharista atrata, 129, 137, 294.
Cathartes aura, 76, 109, 129, 137, 161, 190, 293, 294, 298, 327, 391, 394.
Catharus melpomene, 273.
Cedarbird, 166.
Celeus citrinus, 31.
ochraceus, 31.
Centurus blakei, 334, 350.
nyeanus, 337.
superciliaris, 190.
Century Dictionary, notice of the ornithology of, 222.
Ceophlœus lineatus, 30.
melanoleucus, 30.
pileatus, 95, 127, 138, 175, 245.
tracheolopyrrhus, 30.
Certhia bahamensis, 37.
bartolemica, 39.
familiaris americana, 151.
flaveola, 38.
martinicana *s.* saccharivora, 40.
Certhiola albigula, 40.
atrata, 40.
bahamensis, 37.
bairdii, 37.
bananivora, 38.
barbadensis, 40.
bartolemica, 39.
caboti, 41.
chisiæ, 38.
chloropyga, 41.
columbiana, 41.

Certhiola dominicana, 39.
finschi, 40.
flaveola, 38, 39.
flaveola portoricensis, 38.
godmani, 38.
guianensis, 41.
luteola, 38.
magnirostris, 41.
majuscula, 41.
martinica, 40.
mexicana, 41.
newtoni, 39.
peruviana, 41.
portoricensis, 38.
saccharina, 39.
sancti-thomæ, 38.
sharpei, 37.
sundevalli, 39.
wellsi, 40.
Ceryle alcyon, 46, 48, 75, 129, 137, 166, 294-296, 298, 327, 387.
amazona, 158.
americana, 158.
superciliosa, 158.
torquata, 158.
Chætura dominicana, 48, 60.
dominicana colardeaui, 59.
pelagica, 110, 135, 138, 196, 197, 327.
Chamæpelia bahamensis, 334.
Chamberlain, M., see Hagerup, A. T.
Chapman, F. M., note on *Junco hyemalis thurberi* Anthony, 115; notice of his paper on a collection of birds from British Columbia, 224; on two birds new to Louisiana, 318; former occurrence of *Spiza americana* in northern New Jersey, 395; see also Brewster, W.; also Riker, C. B.
Charadrius dominicus, 17, 107, 119, 300.
mongolicus, 100.
peronii, 16.
squatarola, 76.
veredus, 15.
xanthochilus, 16.
Chat, Yellow-breasted, 332, 399.
Chelidon erythrogaster, 197, 352.
Chelidoptera tenebrosa, 159.
Chen hyperborea, 245, 365, 366.
Cheney, S. P., some bird songs, 32.
Cherrie, G. K., description of a new species of *Ramphocelus* from Costa Rica, 62; description of a supposed new *Myrmeciza*, 191; a preliminary list of the birds of San José, Costa Rica, 271; the Cedar Waxwing and American Dipper in Costa Rica, 395.
Chewink, 108.
Chickadee, Carolina, 333.
Chicken, Prairie, 110.
Chiroxiphia pareola, 25.
Chlorestes riccordi, 188.
Chloronerpes affinis selysi, 30.
flavigularis, 30.
Chloropicus chlorocephalus, 30.
mentalis, 7.
Chondestes grammacus, 52, 108, 390.
Chordeiles minor, 72, 350.
virginianus, 225.
Chrysonotus miniatus, 7.
Chrysophlegma malaccensis, 7.
mentalis, 7.
Chrysoptilus guttatus, 30, 31.
punctigula, 31.
punctigula punctipectus, 31.
speciosus, 31.
Chrysotis leucocephalus, 188, 351.
Chuck-will's-widow, 73.
Churchill, G. B., Great Gray Owl in Worcester County, Mass., 313; European Goldfinch (*Carduelis carduelis*) breeding in Worcester County, Mass., 314.
Ciccaba myrtha, 12.
Cichlherminia bonapartii, 43.
densirostris, 43.
dominicensis, 44.
fuscata, 42, 43, 48.
fuscata densirostris, 42, 43, 46, 47, 49.
herminieri, 43, 44, 49.
lawrencii, 44.
montana, 42.
sanctæ-luciæ, 44.
Cinclocerthia ruficauda, 48, 49.
Cinclus ardesiacus, 395.
mexicanus, 395, 397.
Cistothorus marianæ, 239, 240.
palustris, 133, 138, 239.
stellaris, 133, 138, 173.
Clangula hyemalis, 214, 240, 366.
Clivicola riparia, 132, 135, 138, 197.
Coccothraustes vespertinus, 386, 391.
vespertinus montanus, 85, 391.
Coccyzus americanus, 47, 114, 320, 327, 351, 352.
erythrophthalmus, 302.
euleri, 159.
lindeni, 159.

Coccyzus minor, 47, 48.
minor maynardi, 75, 294, 295, 297, 336-338, 351, 394.
sp.?, 165.
Cœreba atrata, 40.
bahamensis, 37, 70, 294-298, 334-339, 350, 351.
bananivora, 38.
barbadensis, 40.
bartolemica, 39, 46.
caboti, 41.
chloropyga, 41.
dominicana, 39, 47-49.
flaveola, 37, 38.
luteola, 38.
martinicana, 40.
mexicana, 41.
mexicana columbiana, 41.
mexicana magnirostris, 41.
mexicana peruviana, 41.
newtoni, 39, 48.
portoricensis, 38.
saccharina, 39.
sharpei, 37.
tricolor, 40.
wellsi, 40.
Colaptes auratus, 93, 94, 138, 195, 197, 328.
ayresi, 93.
cafer, 93.
cafer saturatior, 93.
chrysoides, 94.
hybridus, 93.
mexicanoides, 94.
mexicanus, 93, 94.
ruficapileus, 93.
submexicanus, 94.
Colburn, W. W., and Morris, R.O., notice of their 'Birds of the Connecticut Valley in Massachusetts,' 384.
Colinus cubanensis, 292, 293.
virginianus, 47, 294, 326, 387-392.
virginianus texanus, 389.
Colluricincla fusca, 43.
Columba ænea, 14.
corensis, 47.
curvirostra, 13.
intermedia, 99.
jambu, 14.
leucocephala, 47, 71, 76, 295 297.
locutrix, 162.
olax, 13.
rufina, 162.
speciosa, 161.
Columbigallina passerina, 47, 48, 76, 137, 162, 190, 293-298.
Columbigallina passerina bahamensis, 334, 336-339.
talpacoti, 162.
Colymbus auritus, 366.
dominicus, 337, 338, 350, 354.
holbœlli, 366.
nigricollis californicus, 366.
Comeau, N. A., the Robin wintering at Godbout, Quebec, 317.
Compsothlypis americana, 47, 48, 67, 69, 127, 132, 138, 152-155, 295-297, 331, 335, 338, 398.
Contopus bahamensis, 294, 334-336, 350, 351.
borealis, 105, 165.
musicus, 89.
pertinax, 89, 314.
richardsonii, 145.
richardsonii peninsulæ, 144.
virens, 166, 328.
Conurus aureus, 160.
carolinensis, 136, 174, 369.
cyanopterus, 160.
pavua, 159.
roseifrons, 160.
Coot, 128.
Copsychus adamsi, 117.
niger, 117.
Coracias orientalis, 11.
Cormorant, Florida, 79, 133, 233.
Corvus americanus, 103, 106, 109, 114, 165, 259, 328.
americanus floridanus, 138.
annectens, 368.
corax nobilis, 306.
corax principalis, 306.
corax sinuatus, 245, 391.
corax ———, 328.
orientalis, 99.
Cory, C. B., on the West Indian species of the genus *Certhiola* or *Cœreba*, 37; notes on West Indian birds, 41; a collection of birds taken by Cyrus S. Winch in the Islands of Anguilla, Antigua, and St. Eustatius, West Indies, during April, May, June, and a part of July, 1890, 46; a list of the birds collected in the Islands of St. Croix and St. Kitts, West Indies, during March and April, and in Guadeloupe during August, September, and October, 1890, 47; a list of birds taken and observed in Cuba and the Bahama Islands, during March and April, 1891, 292; list

of the birds collected by C. S. Winch in the Caicos Islands and Inagua, Bahamas, during January and February, and in Abaco, in March, 1891, 296; notice of his 'Birds of the Bahama Islands,' 300; capture of a fourth specimen of *Ardetta neoxena*, 309; descriptions of new birds from the Bahama Islands, with remarks on the species of *Speotyto* which occur in the West Indies, 348; list of the birds obtained by Mr. C. S. Winch on the Islands of Great Bahama and Abaco, Bahama Islands, during June, and on Eleuthera in July, 1891, 350; list of birds collected on the Island of Inagua, Bahama Islands, from May 1 to July 10, 1891, 351; on a collection of birds made on the Islands of Anguilla and Cay Sal or Salt Cay, Bahama Islands, by Mr. Cyrus S. Winch, during May, 1891, 352; an abnormal specimen of *Coccyzus maynardi*, 394; the English Sparrow (*Passer domesticus*) in Nassau, N.P., 395; another Massachusetts record for the Mockingbird, 395; note regarding the Islands of Maraguana and Samana, Bahamas, 399.
Coryllis galgulus, 12.
Cotinga cærulea, 25.
cayana, 25.
Coues, E., *Scenopœtes dentirostris*, 115.
Cowbird, 197, 239, 273.
Crane, Crowned, 386.
Sacred, 99.
Sandhill, 308.
Creagrus furcatus, 88. 402.
Creeper, Black-and-white, 127.
Brown, 151.
Crotophaga ani, 48, 74, 159, 190, 293-298, 335. 338, 386.
major, 159.
sulcirostris, 313.
Crow, 76, 103, 106, 114, 165, 259.
American, 328.
Rain, 74, 327.
Crymophilus fulicarius, 113, 120, 233.
Crypturus cinereus, 163.
parvirostris, 163.
pileatus, 163.
sp. nov.?, 164.
Cuckoo, Black-billed, 302.
Cuckoo, Great Bahama, 74.
Maynard's, 75.
Yellow-billed, 114, 327.
Cuculus chlorophæus, 11.
telephonus, 99.
Curlew, Eskimo, 21, 22, 24.
Cursorius isabellinus, 15.
Cyanocitta cristata, 259, 328.
cristata florincola, 127, 138.
stelleri, 397.
Cymbilanius lineatus, 28.
Cypseloides niger, 48.
Cypselus phœnicobius, 293, 294.
subfurcatus, 16.
Cyrtotes maxillaris, 346.

DACELO concreta, 10.
Dafila acuta, 364, 367.
bahamensis, 296, 335.
Davison, J. L., *Geothlypis philadelphia* breeding in western New York, 396.
Dendragapus canadensis, 165.
Dendrocincla castanoptera, 26.
fuliginosa, 26.
merula, 26.
rufo-olivacea, 26.
Dendrocolaptes certhia, 27.
obsoletus, 27.
Dendrocygna arborea, 79, 365.
autumnalis, 365.
discolor, 161.
Dendroica æstiva, 166, 279.
blackburniæ, 170, 278, 398.
cærulea, 52, 170, 238, 272, 396, 398.
cærulescens, 68, 69, 298, 335, 337, 352. 398.
castanea, 165, 170, 398.
coronata, 127, 138, 152, 166, 197, 278, 278, 294-298, 334, 338.
discolor, 47, 48, 68, 69, 73, 138, 152, 294-298, 317, 334-339, 398.
dominica, 127, 132, 138, 152, 171, 295, 296, 298, 335, 350.
dominica albilora, 51, 52, 116, 171.
graciæ, 314.
ignota, 386.
kirtlandi, 52, 53, 102, 105, 171, 295, 297, 298, 337, 338.
maculosa, 116, 166, 170, 320, 398, 399.
palmarum, 51, 52, 53, 68, 69, 128, 138, 152, 171, 294, 295-297, 334-339, 351.

Dendroica palmarum hypochrysea, 128, 138, 165, 171, 385, 396.
pensylvanica, 170, 278, 320, 327, 331, 398, 399.
petechia, 68.
petechia gundlachi, 297, 298, 335-339, 350, 351.
petechia melanoptera, 49.
pharetra, 387.
pityophila, 348.
pityophila bahamensis, 348, 350.
plumbea, 49.
ruficapilla, 47, 48.
striata, 68, 108, 119, 165, 298, 335, 351, 352.
tigrina, 48, 68, 69, 170, 294-297, 334, 335, 338, 398.
vigorsii, 68, 128, 138, 173, 199, 332, 334, 335, 350, 352.
virens, 171, 278, 300, 331, 398, 399.
Dendroplex picus, 27.
Dendrornis eytoni, 27.
fraterculus, 27.
multiguttata, 27.
susurrans, 27.
Diablotin, 59, 61.
Dichrozona zonota, 29.
Dickcissel, 168, 395.
Diomedea albatrus, 99.
exulans, 388.
Dipper, American, 395, 397.
Diver, 354.
Dolichonyx oryzivorus, 169, 300, 351, 352.
Doricha evelynæ, 73, 74, 294, 295-298, 334-339, 350, 351, 387.
lyrura, 297, 351, 387.
Dove, 309.
Ground, 76, 293.
Tobacco, 76.
Zenaida, 76.
Dryobates borealis, 128, 138.
leucotos, 99.
pubescens, 138, 262, 327.
pubescens gairdnerii, 94.
pubescens oreœcus, 94.
villosus, 94.
villosus audubonii, 94, 138, 327.
villosus harrisi, 94.
villosus hyloscopus, 94.
villosus maynardi, 75, 94, 298, 334, 335, 350.
Dryopicus leucogaster, 7.
Duck, Black, 342, 363.
Black-bellied Tree, 365.
Black-bellied Whistling, 365.
Duck, Blue Mountain, 355.
Booby, 357.
Labrador, 174, 201.
Lesser Scaup, 364.
Long-tailed, 214, 240.
Masked, 364.
Old-squaw, 214.
Pied, 215.
Quail, 364.
Red-billed Whistling, 365.
Red-head, 287.
Ring-necked, 364.
Ruddy, 117, 364.
Scaup, 128.
Tree, 79.
Wood, 129, 131, 290, 364, 390, 391.
Dutcher, W., the Labrador Duck: —a revised list of the extant specimens in North America, with some historical notes, 201.
Dwight, J., Jr., *Junco carolinensis*, shown to be a subspecies, 290.

EAGLE, Bald, 109, 327.
Golden, 108, 113.
Eastman, H. D., *Phalaropus lobatus* off Scituate, Mass., 310.
Ectopistes migratorius, 310, 390, 391.
Egret, 180.
American, 120.
Reddish, 77, 233.
Elænea martinica, 46-49.
Elanoides forficatus, 129, 131, 137.
Elliot, D. G., a list of birds from Northeast Borneo, with field notes by Mr. C. F. Adams, 7; note on *Copsychus adamsi*—correction, 117.
Empidonax acadicus, 328, 399.
flaviventris, 319, 385.
minimus, 165.
pusillus, 319.
Engyptila erythrothorax, 162.
rufaxilla, 162.
Entomobia pileata, 10.
Ereunetes pusillus, 48, 164, 351.
Erismatura rubida, 117, 364.
Eucephala cærulea, 30.
Eudromias veredus, 15, 16.
Euetheia bicolor, 46-49, 71, 294-298, 334-339, 351.
lepida, 189, 293, 294.
olivacea, 189.
Eulampis holosericeus, 47, 48.
jugularis, 48.
Eupetomena macroura, 30.

Euplocomus ignitus, 15.
nobilis, 15.
Eurystomus orientalis, 11.

FALCO caribbæarum, 46-48.
columbarius, 48, 76, 272, 334, 337.
deiroleucus, 161.
dominicensis, 88, 113.
indicus, 13.
islandus, 236.
peregrinus anatum, 237, 361.
poliogenys, 13.
rufigularis, 161.
rusticolus obsoletus, 320.
sparverioides, 88, 113, 293, 294.
sparverius, 108, 165, 312.
Fighter, 71, 72.
Finch, Black, 293.
Lark, 108.
Seaside, 106, 133.
Sharp-tailed, 106.
Flamingo, 78.
American, 365, 386.
Red, 365.
Flicker, 197, 328.
Flycatcher, Acadian, 328.
Crested, 328.
Rufous-tailed, 72.
Formicivora grisea, 29.
rufa, 29.
Foudia eminentissima, 92.
Fratercula pusilla, 101.
pygmæa, 101.
Fregata aquila, 71, 79, 233, 295, 296, 337, 363, 387.
Fringilla formosa, 92.
granatina, 92.
Fulica americana, 119, 128, 137, 335, 338, 367.
caribæa, 46.
minor, 367.
Furnarius minor, 26.
pileatus, 26.

GADWALL, 363.
Galbula cyanicollis, 158.
rufoviridis, 158.
viridis, 158.
Galeoscoptes carolinensis, 32, 46, 66, 109, 138, 152, 197, 294-296, 298, 300, 333-335, 337, 338.
Galerita modesta, 92.
Gallinago delicata, 137, 165, 387-391.
frenata, 163.
Gallinula euryzona, 16.
galeata, 1, 46, 47, 118, 294.
Gallinule, Florida, 1.
Purple, 108.
Gampsonyx swainsoni, 161.
Gannet, Common, 387.
Cory's, 387.
Gätke, H., notice of his 'Die Vogelwarte Helgoland,' 299.
Gavia alba, 320.
Geothlypis agilis, 54, 151, 172, 352.
coryi, 336, 351.
formosa, 106, 172, 332, 398.
philadelphia, 240, 396, 398.
poliocephala palpebralis, 316.
rostrata, 66, 68, 335.
rostrata tanneri, 350.
tanneri, 69, 298, 334.
trichas, 69, 128, 138, 189, 196, 197, 294-296, 298, 334-339, 351, 352.
Geotrygon martinica, 350.
montana, 48, 162.
mystacea, 47, 48.
Geranospiza cærulescens, 161.
Glaucionetta clangula americana, 165.
islandica, 112, 366.
Glyphorhynchus cuneatus, 26.
Gnatcatcher, 328.
Blue-gray, 67, 127, 152.
Golden, 78.
Golden-eye, Barrow's, 112.
Goldfinch, 127.
American, 328.
European, 314.
Goose, Canada, 341, 365.
Lesser Snow, 365.
Mackerel, 235.
Sea, 235.
Goss, N. S., second occurrence of the White-faced Glossy Ibis (*Plegadis guarauna*) in Kansas, 112; correction, 116; notice of his 'History of the Birds of Kansas,' 228; death of, 245.
Grackle, Boat-tailed, 132.
Bronzed, 167.
Purple, 197.
Grant, J. B., notice of his 'Our common birds and how to know them,' 301.
Grassquit, 71.
Grebe, Pied-billed, 353.
Grosbeak, Cardinal, 107.
Evening, 386, 391.
Rose-breasted, 168.
Violet, 70.
Grouse, Pinnated, 390.
Ruffed, 326, 387, 388, 390.

Grus japonensis, 99.
mexicana, 137, 308.
Guara alba, 130, 137.
Gull, Laughing, 80, 110, 362.
Gundlach, J., notes on some species of birds of the island of Cuba, 187.
Gymnoderus fœtidus, 26.
Gymnopithys gymnops, 29.
Gyparchus papa, 161.

HABIA ludoviciana, 165, 168.
Hadrostomus minor, 25.
Hæmatopus palliatus, 76, 245, 297, 334, 351.
Hagerup, A. T., 'Birds of Greenland,' 319.
Hagerup, A. T., and Chamberlain, M., notice of their 'Birds of Greenland,' 226.
Halcyon concreta, 10.
coromanda, 10.
pileata, 10.
Halocyptena microsoma, 305.
Haliæëtus leucocephalus, 109, 137, 165, 327.
Hargitt, E., notice of his catalogue of the Woodpeckers, 92.
Harpagus diodon, 161.
Harporhynchus rufus, 109, 127, 138, 152, 196, 197, 300, 333.
Harvie-Brown, J. A., *Falco islandus* L. in Labrador, 236.
Hasbrouck, E. M., the present status of the Ivory-billed Woodpecker (*Campephilus principalis*), 174; Acadian Owl (*Nyctala acadica*) at Washington, D. C., 313; the Carolina Paroquet (*Conurus carolinensis*), 369.
Hawk, American Sparrow, 108.
Cooper's, 108.
Cuban Sparrow, 293.
Duck, 327, 361.
Fish, 132.
Pigeon, 76.
Red-shouldered, 129.
Red-tailed, 327.
Squirrel, 327.
Sparrow, 312.
Helinaia swainsonii, 135, 137, 138, 169, 296, 386.
Heliornis fulica, 163.
Helminthophila bachmani, 126, 127, 135, 138, 149, 316.
celata, 127, 138, 152, 170
celata sordida, 87, 305.
chrysoptera, 155, 170, 278, 331, 397, 399.
Helminthophila leucobronchialis, 318.
peregrina, 54, 151, 170, 278, 398.
pinus, 109, 155, 169, 318, 334, 397.
ruficapilla, 165.
Helmitherus vermivorus, 169, 278, 316, 331, 334, 335, 387, 397, 399.
Hen, Wood, 327.
Heron, Bahama Green, 78.
Black-crowned Night, 78.
Great Blue, 77, 233.
Great White, 107.
Green, 129, 232.
Little Blue, 77, 129, 130, 180.
Louisiana, 71, 77, 130, 233.
Ward's, 128, 129, 135.
Yellow-crowned Night, 78, 132.
Hesperiphona vespertina montana, 85.
Hesperocichla nævia, 396.
Heterocercus flavivertex, 25.
Heterocnemis hypoleuca, 29.
Heterospizias meridionalis, 161.
Himantopus mexicanus, 46, 76, 163, 351.
Hirundo cyaneoviridis, 87.
fulva, 87.
Honey-creeper, Bahaman, 70.
Hornaday, W. T., notice of his 'Taxidermy and Zoölogical Collecting', 381.
Hummingbird, 257-268, 270.
Heloise's, 88.
Ricord's 74, 387.
Ruby-throated, 109, 328.
Hydrochelidon nigra surinamensis, 360, 366.
Hylatomus pileatus, 95, 175.
Hypocnemis hypoleuca, 29.
lugubris, 29.

IBIS, White, 130.
White-faced Glossy, 112.
Icteria virens, 119, 332, 399.
Icterus galbula, 110 197.
hypomelas 292, 293.
maxillaris, 346.
minor, 345.
northropi, 66, 71, 350.
parisorum, 237, 238.
sericeus, 345.
violaceus, 345.
Ictinia plumbea, 89.
Ionornis martinica, 108.

JACANA jacana, 163.
Jamison, H. K., some rookeries on the Gulf Coast of Florida, 233.
Janthœnas nitens, 100.
Jay, Blue, 127, 259, 328.
Oregon, 397.
Steller's 397.
Jeffries, W. A., Phalaropes at Swampscott, Massachusetts, 112.
Johnson, F. E., American Barn Owl (*Strix pratincola*) on Long Island, N. Y., 114; Black-throated Bunting (*Spiza americana*) on Long Island, N. Y., 116.
Joe-ree, 329.
Junco hyemalis, 166, 197, 220-222, 291.
hyemalis carolinensis, 290.
hyemalis oregonus, 115.
hyemalis shufeldti, 85, 115.
hyemalis thurberi, 115.
insularis, 220-222.
ridgwayi, 86.
Junco, Ridgway's, 86.
Shufeldt's, 85.

KETUPA javensis, 12.
ketupa, 12.
Killdeer, 394.
Kingbird, 197.
Bahama, 71.
Gray, 72.
Kingfisher, 129, 166.
Belted, 75, 327, 387.
Kinglet, Golden-crowned, 137, 197.
Ruby-crowned, 127, 152, 166.
Kite, Swallow-tailed, 129, 131.
Krauss, F., death of, 120.

LADD, Samuel B., description of the nests and eggs of *Dendroica graciæ* and *Contopus pertinax*, 314.
Lamprocolius acuticaudus, 92.
Lampropsar cabanisii, 344, 346.
guianensis, 344, 346.
tanagrinus, 344, 346.
Lanius ludovicianus, 106, 107, 128, 138.
ludovicianus excubitorides, 119.
Lark, Dusky Horned, 85.
Prairie Horned, 56, 109, 236.
Scorched Horned, 84.
Shore, 110.
Sonoran Horned, 85.
Larus argentatus, 385.
argentatus smithsonianus, 366, 385.
Larus atricilla, 46, 48, 80, 110, 362.
californicus, 366.
furcatus, 88.
oregonus, 366.
philadelphia, 165, 300, 366.
robustus, 366.
Lathria cinerea, 25.
Lawrence, G. N., description of a new subspecies of Cypselidæ of the genus *Chætura*, with a note on the Diablotin, 59.
Lawrence, R. H., a breeding place of *Pelecanus fuscus*, 231.
Leptodon cayennensis, 161.
Lettuce-bird, 328.
Limpkin, 180.
Lipaugus simplex, 25.
Longspur, Smith's, 167.
Loomis, L. M., a further review of the avian fauna of Chester County, South Carolina, 49, 166; a forgotten volume, 230; June birds of Cæsar's Head, South Carolina, 323.
Loon, 55, 389, 392.
Red-throated, 55.
Lophodytes cucullatus, 366.
Lophostrix cristata, 160.
Loriculus galgulus, 12.
Loxia macroura, 92.
philippina, 92.
Loxigilla noctis, 46-49, 300.
violacea, 70, 294, 295, 297, 298, 350, 351.
Lucas, F. A., some bird skeletons from Guadelupe Island, 218; notice of his paper on the anatomy and history of the Great Auk, 306.

MACKAY, G. H., the habits of the Golden Plover (*Charadrius dominicus*) in Massachusetts, 17; uncommon birds for Nantucket Island, Massachusetts, 120; the Scoters (*Oidemia americana*, *O. deglandi*, and *O. perspicillata*) in New England, 279; 'Fire-lighting', 340.
Magpie, Black-billed, 107.
Malacoptila rufa, 158.
Malimbus nigricollis, 92.
Mallard, 363, 390.
Green-backed, 363.
Manacus manacus, 25.
Margarops albiventris, 42.
densirostris, 43.
dominicensis, 44.

Margarops fuscatus, 42, 43, 297, 298, 337, 338, 351.
herminieri, 43, 44.
herminieri semperi, 44.
montanus, 41, 42.
montanus rufus, 42.
sanctæ-luciæ, 44.
Maynard, C. J., notice of his 'Contributions to Science', 385.
Meadowlark, 197.
Cuban, 292, 293.
Meathawk 397.
Megapicus validus, 7.
Megascops asio. 266, 387.
asio aikeni, 109, 139.
asio bendirei, 142, 144.
asio floridanus, 387.
asio kennicotti, 142-144.
asio macfarlanei, 140, 142, 144, 237.
asio maxwelliæ 140.
asio saturatus, 141-144.
aspersus, 139.
flammeolus idahoensis, 385.
Meiglyptes badiosus, 8.
tukki, 8.
Melanerpes carolinus, 127, 138.
cruentatus, 31.
erythrocephalus, 56, 138.
formicivorus aculeatus, 88.
formicivorus bairdi, 89, 94.
formicivorus melanopogon, 89, 94.
l'herminieri, 48.
Meleagris gallopavo, 136, 137, 327, 388, 391.
gallopavo osceola, 89.
Melopelia leucoptera, 351.
Melopyrrha nigra, 293.
Melospiza fasciata, 197.
fasciata clementæ, 86, 305.
fasciata graminea, 86, 305.
georgiana, 133, 138, 165.
lincolni, 385.
Merops amictus, 11.
Merriam, C. H., notice of his 'Results of a biological survey of the San Francisco Mountain region and Desert of the Little Colorado, Arizona', 95; notice of his 'Annotated List of Birds observed in Idaho during the Summer and Fall of 1890,' 385.
Merula grayi, 274.
migratoria, 106, 107, 109, 138, 166, 195, 197, 300, 317, 391.
migratoria propinqua, 397.
Micropogon fuliginosus, 8.
Micropternus badiosus, 8.
Miller, G. S., Jr., further Cape Cod notes, 117; the first plumage of *Otocoris alpestris strigata* Hensh., 314
Milvago chimachima, 161.
Mimocichla ardesiacea, 217, 218.
ardesiaca albiventris, 317.
albiventris, 317.
plumbea, 66, 294, 298, 333, 335, 336, 350, 351, 387.
rubripes, 189, 300, 387.
verrillorum, 217, 317.
Mimus dominicus, 45.
elegans, 45, 333.
gundlachi, 67, 295, 297, 298, 335-339, 351.
orpheus, 44, 45.
orpheus dominicus, 45.
polyglottos, 45, 46, 66, 109, 117, 119, 120, 138, 395.
polyglottos cubanensis, 45.
polyglottos elegans, 298, 333, 351.
polyglottos orpheus, 45, 294-296, 298, 350.
polyglottos portoricensis, 46.
Minor ornithological publications, 106, 387.
Minot, H. D., death of, 121.
Mniotilta varia, 47, 48, 67, 69, 127, 138, 262, 277, 294-296, 298, 331, 335-338.
Mockingbird, 66, 117, 120, 332, 395.
Molothrus æneus, 345.
armenti, 345.
ater, 138, 197, 239, 345.
ater obscurus, 345.
atronitens, 344-346.
badius, 345.
bonariensis, 344, 345, 347.
cabanisii, 345, 346.
cassini, 344, 346.
discolor, 344, 346, 347.
fringillarius, 345.
maxillaris, 346.
niger, 345.
purpurascens, 345, 347.
robustus, 345.
rufoaxillaris, 345.
sericeus, 345.
venezuelis, 345, 347.
Momotus nattereri, 158.
Monasa morpheus, 158.
nigrifrons, 159.
Morris, R. O., the Mockingbird at Springfield, Massachusetts, 117; see also Colburn, W. W.
Motacilla bananivora, 38.
Murre, Brünnich's, 307.

Myiarchus berlepschii, 48.
crinitus, 135, 138, 328.
lucaysiensis, 72.
sagræ, 72, 190, 294, 295, 297, 298, 334, 335, 339, 350, 351.
Myiodynastes luteiventris, 272.
Myrmeciza immaculata, 191-193.
immaculata occidentalis, 191-193.
Myrmotherula axillaris, 28.
axillaris melanogastra, 28.
cinereiventris, 29.
Myrtha sumatrana, 12.

NASICA longirostris, 27.
Nelson, E. W., Scott's Oriole (*Icterus parisorum*) in central New Mexico, 237.
Nelson, J., notice of his catalogue of the birds of New Jersey, 104.
Nicholson, F., notice of his translation of Sundevall's 'Tentamen', 227.
Nighthawk, Cuban, 72.
Nightingale, 333.
Noddy, 79, 358, 361.
Nomonyx dominicus, 364.
Nonpareil 293, 395.
Northrop, J. I., the birds of Andros Island, Bahamas, 64; death of, 400.
Numenius borealis, 21, 22, 24.
hudsonicus, 339.
Nuthatch, Brown-headed, 108, 173.
Florida White-breasted, 87.
Red-bellied, 151.
Red-breasted, 106, 173.
St. Lucas, 149.
White-bellied, 387.
White-breasted, 106, 110, 173, 333.
Nyctala acadica, 107, 313.
Nyctea nyctea, 55, 110, 392.
Nycticorax nycticorax nævius, 66, 78, 137, 335.
violaceus, 47, 48, 78, 132, 137, 190, 295, 339, 351.
Nyctidromus albicollis, 30.
Nyctiornis amicta, 11.

OCEANITES oceanicus, 357.
Oceanodroma leucorhoa, 119, 244.
socorroënsis, 305.
Odontophorus guianensis, 162.
Oidemia americana, 279-290.
deglandi, 279-290.
perspicillata, 279-290, 364.
Olor americanus, 232.
paloregonus, 367.
Opisthocomus cristatus, 162.
Oriole, Baltimore, 197.
Northrop's, 71.
Scott's, 237, 238.
Ortalida motmot, 162.
Ortalis vetula mccalli, 390.
Orthorhynchus boothi, 187.
Ortyx cubanensis, 190.
Osprey, 106.
Otocoris alpestris, 57, 91, 385.
alpestris adusta, 84, 85.
alpestris arenicola, 91.
alpestris chrysolæma, 91.
alpestris giraudi, 91.
alpestris insularis, 89, 305.
alpestris leucolæma, 91.
alpestris merrilli, 85, 314.
alpestris pallida, 85, 305.
alpestris peregrina, 91.
alpestris praticola, 51-53, 56, 91, 109, 110, 236, 314, 389, 395.
alpestris rubea, 91.
alpestris strigata, 91, 314.
'Ottawa Naturalist', notice of a paper in, 303.
Ovenbird, 68, 171, 332.
Owl, Acadian, 313.
Aiken's Screech, 139.
American Barn, 75, 114, 386.
American Hawk, 107.
American Long-eared, 108.
Barred, 108, 130, 265.
Burrowing, 75, 109.
Florida Mottled, 387.
Great Gray, 313.
Great Horned, 109.
MacFarlane's Screech, 140.
Mottled, 387.
Puget Sound Screech, 141.
Rocky Mountain Screech, 109.
Screech, 266.
Snowy, 55, 110, 392.
Oystercatcher, American, 76.

PACHYRHAMPHUS atricapillus, 25.
cinereus, 25.
rufus, 25.
Packard, A. S., occurrence of the Groove-billed Ani at Jupiter Inlet, Florida, 313.
Palæornis longicauda, 12.
Paleotetrix gilli, 367.
Palmer, W., notice of his paper on birds observed during the cruise of the 'Grampus,' 305.
Pandion haliaëtus carolinensis, 106, 132, 137, 165, 236, 297, 351.

Park, A. F., *Strix pratincola* again near Troy, N. Y., 114.
Paroquet, Carolina, 174, 369.
Parrot, Cuban, 293.
Partridge, 326.
Parus atricapillus, 165.
bicolor, 127, 138, 152, 333.
carolinensis, 138, 152, 153, 333.
meridionalis, 90.
rufescens, 397.
Passer domesticus, 50, 103, 110, 116, 387-389, 391, 392, 395.
Passerella iliaca, 105.
Passerina ciris, 293-295, 395.
cyanea, 329, 337.
discolor, 344, 346, 347.
Patagiœnas corensis, 190.
Pediocætes lucasi, 367.
nanus, 367.
phasianellus columbianus, 367.
Pelecanus erythrorhynchus, 366.
fuscus, 46, 79, 107, 133, 137, 190, 231, 233, 293, 295, 296, 363.
Pelican, Brown, 79, 107, 133, 231, 233, 293, 363.
Frigate, 233.
Pelzeln, A. v., death of, 400.
Perdix charltoni, 15.
Perisoreus canadensis, 165, 391.
obscurus, 397.
Petrel, Jamaica, 355.
Wilson's, 357.
Petrochelidon fulva, 86, 87.
lunifrons, 110, 166.
Peucæa æstivalis, 128, 138.
æstivalis bachmanii, 51, 168.
Pewee, Bahaman Wood, 72.
Large-billed Wood, 144.
Wood, 166, 328.
Phaëthon æthereus, 256, 362.
flavirostris, 47, 249, 293, 294, 335, 351, 362.
Phæthusa magnirostris, 163.
Phalacrocorax bicristatus, 101.
dilophus, 107.
dilophus floridanus, 79, 133, 137, 233, 337.
macropus, 366.
mexicanus, 337.
pelagicus, 101.
Phalarope, Northern, 113, 240, 310.
Red, 113, 120, 233.
Wilson's, 108.
Phalaropus lobatus, 113, 119, 120, 240, 310, 367.
tricolor, 108, 120.
Pheasant, 326.
Pheasant, Chinese, 389.
Philohela minor, 386-391.
Philydor erythrocercus, 26.
Phlogopsis bowmani, 29, 30.
Phlogothraupis sanguinolenta, 63.
Phœbe, 328.
Phœnicophæus erythrognathus, 11.
javanicus, 11.
Phœnicopterus copei, 367.
ruber, 78, 365, 386.
Phœopicus badiosus, 8.
pectoralis, 8.
Piaya cayana pallescens, 159.
minuta, 159.
Pica pica hudsonica, 107.
Picoides americanus dorsalis, 94.
arcticus, 165, 385.
Picolaptes layardi, 27.
rikeri, 26.
Picumnus cirratus, 30.
micromegas, 93.
Picus badiosus, 8.
citrinus, 31.
flavicans, 31.
flavus, 93.
guttatus, 30, 31.
insularis, 334.
javensis, 7.
major, 94.
major japonicus, 100.
malaccensis, 7.
martius, 95.
melanopogon, 94.
mentalis, 7.
noguchii, 93.
pileatus, 95.
pubescens, 94.
tukki, 8.
validus, 7.
Pigeon, White-crowned, 76.
White-headed, 71.
Wild, 310, 390, 391.
Pinicola enucleator, 302.
Pintail, 364.
Pionopsitta brachyura, 160.
Pionus menstruus, 160.
violaceus, 160.
Pipile cujubi, 162.
cumanensis, 162.
Pipilo consobrinus, 220, 222.
erythrophthalmus, 108, 127, 138, 152, 197, 220, 222, 327, 329.
erythrophthalmus alleni, 128, 138.
maculatus, 147.
maculatus magnirostris, 146,
maculatus megalonyx, 147, 220, 222.

Pipra aureola flaviceps, 24.
rubricapilla, 25.
Piranga erythromelas, 36, 47, 329.
rubra, 70, 135, 138, 315, 329.
Pitangus bahamensis, 71, 294, 298. 334, 335, 350.
Pitta nympha, 100.
Plantus impennis, 174, 306, 388.
Plegadis guarauna, 112.
Ploceus baya, 92.
philippinus, 92.
Plover, American Golden, 17.
Black-bellied, 76.
Killdeer, 76, 107.
Wilson's, 76.
Podilymbus, carolinensis, 353.
podiceps, 46, 137, 294, 353, 366.
Poling, O. C., Groove-billed Ani (*Crotophaga sulcirosris*) in Arizona, 313.
Polioptila cærulea, 127, 138, 152, 295-298, 334, 350, 351.
cærulea, cæsiogaster, 67, 334, 335.
Polyborus cheriway, 161.
lutosus, 219, 221.
tharus, 219.
Poocætes gramineus, 225.
Porzana carolina, 134, 151.
cayennensis, 163.
coturniculus, 89.
jamaicensis, 55.
jamaicensis coturniculus, 89.
noveboracensis, 55.
Praeger, W. V., protective coloration in the genus *Ægialitis*, 236.
Procellaria jamaicensis, 355.
Progne dominicensis, 47, 48, 294.
subis, 138.
Protonotaria citrea, 132, 135, 138, 278.
Psilorhinus cyanogenys, 304.
mexicanus, 304.
morio, 304.
vociferus, 304.
Psittacula cyanochlora, 160.
deliciosa, 160.
Psittacus galgulus, 12.
longicauda, 15.
subcæruleus, 188.
Pterodroma caribbæa, 355.
Pteroglossus aracari, 159.
bitorquatus, 159.
inscriptus, 159.
weidi, 159.
Ptilopus jambu, 14.
Publications received, 110, 230, 306, 392.
Puffinus auduboni, 387.
auricularis, 305.
Pulsatrix torquata, 160.
Pyrrhulagra violacea, 334-337.

QUAIL, 388-392.
Cuban, 292.
Quail-dove, Blue-headed, 292.
Querula cruenta, 25.
Quiscalus guadeloupensis, 49.
gundlachi, 190.
major, 132, 138.
quiscula, 167, 195, 197.
quiscula æneus, 51, 52, 167, 385.
quiscula aglæus, 138.

RAGSDALE, G. H., the breeding range of the Sparrow Hawk (*Falco sparverius*) in Texas, 312.
Rail, Bahaman, 77.
Black, 55.
Carolina, 134, 151.
Clapper, 133.
Scott's, 135.
Yellow, 55.
Rallina fasciata, 16.
Rallus coryi, 77, 294, 295, 386.
crepitans, 136.
crepitans saturatus, 136.
fasciata, 16.
scottii, 133, 135, 137.
virginianus, 137, 164.
Ramphocelus costaricensis, 62-64.
passerinii, 63, 64.
Raven, 328, 391.
Redbird, 329.
Redhead, 364.
Redshank, 360.
Redstart, American, 69, 172, 399.
Regulus caiendula, 105, 127, 138, 152, 165, 166.
satrapa, 105, 137, 138, 165, 197.
satrapa olivaceus, 397.
Rhamphastos ariel, 159.
erythrorhynchus, 159.
Rhamphococcyx erythrognathus, 11.
Rhegmatorhina gymnops, 29.
Rhinortha chlorophæa, 11.
Rhoads, S. N., the Wild Pigeon, (*Ectopistes migratorius*) on the Pacific coast, 310.
Rhodostethia rosea, 300.
Rhopodytes erythrognathus, 11.
Rhototerpe torquata, 29.
Ricebird, 169.

Richmond, C. W., Barrow's Goldeneye (*Glaucionetta islandica*) near Washington, D. C., 112.
Ridgway, R., *Falco dominicensis* Gmel. versus *Falco sparverioides* Vig., 113; a new name necessary for *Selasphorus floresii* Gould, 114; note on the alleged occurrence of *Trochilus heloisa* (Less. & De Latt.) within North American limits, 115; *Cistothorus marianæ*, *Buteo lineatus alleni*, and *Syrnium nebulosum alleni* in South Carolina, 240; list of birds collected on the Bahama Islands by the naturalists of the Fish Commission steamer 'Albatross,' 333.
Riker, C. B., a list of birds observed at Santarem, Brazil, with annotations by F. M. Chapman, 24, 158.
Rives, W. C., notice of his 'Catalogue of the Birds of the Virginias,' 105.
Robin, 106, 107, 166, 197, 317, 391.
Oregon, 396.
Varied, 396.
Western, 397.
Rolulus roulroul, 15.
Rostrhamus sociabilis, 161.
Rupornis magnirostris, 160.
magnirostris nattereri, 160.

SAGE, J. H., *Ammodramus caudacutus nelsoni* and *A. c. subvirgatus* in Connecticut, 115.
Salpinctes guadalupensis, 221, 222.
obsoletus, 222.
Saltator guadeloupensis, 49.
Sandbird, 77.
Sandpiper, Baird's, 240.
Bartramian, 24.
Purple, 289.
Solitary, 236.
Spotted, 77, 166, 394.
Western Solitary, 84.
Sapsucker, Williamson's, 108.
Yellow-bellied, 75.
Sasia everetti, 93.
Saurothera bahamensis, 74, 294, 336, 351.
merlini, 190.
Sayornis phœbe, 138, 328.
Scenopœetes dentirostris, 115.
Scolecophagus affinis, 368.
carolinus, 138, 320.
cyanocephalus, 50-52, 167.
sericeus, 345.
Scoter, American, 279-290.
Surf, 215, 279-290, 364.
White-winged, 279-290.
Scotiaptex cinerea, 313.
Scott, W. E. D., observations on the birds of Jamaica, West Indies. I. Notes on the habits of the Yellow-billed Tropic Bird (*Phaëthon flavirostris*), 249; notes on the nest and habits of Cory's Bittern (*Botaurus neoxenus*), 309; Florida Heron rookeries, 318; observations on the birds of Jamaica, West Indies. II. A list of the birds recorded from the Island, with annotations, 353.
Seebohm, H., notice of his 'Birds of the Japanese Empire,' 99.
Seiurus aurocapillus, 68, 138, 165, 171, 294-298, 332, 334-338, 351.
motacilla, 108, 138, 172, 295, 296, 332, 385.
noveboracensis, 48, 49, 105, 165, 172, 294, 295, 298, 320, 334, 337, 351, 352.
noveboracensis notabilis, 51-53, 135, 138, 171.
Selasphorus floresii, 114.
rubromitratus, 114.
Selenidera gouldi, 159.
maculirostris, 159.
Setophaga ruticilla, 47-49, 69, 135, 138, 172, 294-296, 335, 338, 351, 352, 399.
Sharpe, R. B., notice of his Catalogue of the Sturniformes, 90; notice of his 'Review of Recent Attempts to Classify Birds,' 379.
Shearwater, Audubon's, 387.
Shoveller, 364.
Shrike, Loggerhead, 128.
White-rumped, 106, 107.
Shufeldt, R. W., a peculiar character referable to the base of the skull in *Pandion*, 236; camera notes for ornithologists, 240; a female *Piranga rubra* assuming the plumage of the male, 315; tertiary fossils of North American birds, 365.
Sialia sialis, 109, 110, 128, 138, 195, 197, 239, 333.
Siskin, Pine, 137.
Sitta cæsia, 100.
canadensis, 106, 151, 173.
carolinensis, 106, 110, 173, 333, 387.
carolinensis aculeata, 149.

Sitta carolinensis atkinsi, 87, 138.
carolinensis lagunæ, 149.
pusilla, 108, 138, 173, 350.
Skylark, 389.
Snowbird, 166, 197.
Somateria v-nigra, 320.
Sparrow, Bachman's, 168.
Chipping, 197, 328, 387.
English, 50, 103, 116, 387-389, 391, 395.
Field, 329.
Grasshopper, 167.
Gray Sage, 86.
Leconte's, 168.
Pine-woods, 128.
San Clemente Song, 86.
Santa Barbara Song, 86.
Savanna, 197.
Song, 197.
Swamp, 133.
Western Henslow's, 145.
Western Yellow-winged, 108.
Yellow-winged, 108.
Spatula clypeata, 137, 190, 364, 366.
Speotyto amaura, 47, 349.
cunicularia bahamensis, 348, 349, 351.
cunicularia dominicensis, 75, 349.
cunicularia floridana, 349, 350, 352.
cunicularia hypogæa, 109.
guadeloupensis, 349.
rostrata, 305.
Sphyrapicus thyroideus, 108.
varius, 75, 138, 165, 166, 256, 294-297, 338, 399.
Spilornis pallidus, 13.
Spindalis zena, 70, 294, 295, 335-337, 339.
zena stejnegeri, 348, 351.
zena townsendi, 298, 334, 350.
Spinus pinus, 137, 138, 165.
tristis, 127, 138, 328.
tristis pallidus, 89.
Spiza americana, 116, 168, 245, 395.
Spizaëtus manduyti, 161.
Spizella pusilla, 329.
pusilla arenacea, 318.
socialis, 165, 197, 225, 328, 387.
Sporadinus bracei, 300.
ricordi, 73, 74, 188, 298, 300, 334, 350, 387.
Starnœnas cyanocephala, 190, 293.
Stelgidopteryx serripennis, 387.
Sterna anæthetus, 48, 80, 360.
Sterna antillarum, 46, 48, 80, 351, 352, 362, 387.
dougalli, 46, 48, 351, 362.
elegans, 362, 366.
fluviatilis, 319.
forsteri, 366.
fuliginosa, 80, 352, 358, 361.
hirundo, 166, 319, 342, 362.
macrura, 319.
maxima, 80, 295, 296, 351, 362.
paradisæa, 166, 319.
sandvicensis acuflavida, 46, 351, 362.
tschegrava, 362.
Stilt, Black-necked, 76.
Stone, W., bird waves and their graphic representation, 194; work of the Delaware Valley Ornithological Club during 1890, 244; notice of his 'Birds collected in Yucatan and Southern Mexico,' 303; notice of his 'Catalogue of the Owls in the Collection of the Academy of Natural Sciences of Philadelphia,' 303; notice of his paper on the genus *Psilorhinus*, 304; a revision of the species of *Molothrus* allied to *M. bonariensis* (Gm.), 344.
Strix ceylonensis, 12.
ketupa, 12.
pratincola, 75, 114, 245, 294, 386.
Sturnella hippocrepis, 189, 292-294.
magna, 197.
magna mexicana, 138.
Sula bassana, 386, 387.
coryi, 386, 387.
cyanops, 363, 386.
leucogastra, 339.
piscator, 362.
sula, 361, 363, 386.
Surnia ulula caparoch, 107.
Swallow, Bahaman, 70, 87.
Bank, 132, 197.
Barn, 197.
Cuban Cliff, 87.
Eave, 166.
Rough-winged, 387.
White-bellied, 132, 387.
Swallow, C. W., bird notes from Clatrop County, Oregon, 396.
Swan, Whistling, 232.
Swift, Chimney, 197, 328.
Switching-neck, 77.
Sylvania canadensis, 172, 399.
mitrata, 107, 135, 138, 172, 332, 399.
Sylvania pusilla, 165, 172.

Symphemia semipalmata, 47, 76, 133, 137, 297, 351.
Synallaxis cinnamomea, 26.
guianensis, 26.
mustelina, 26.
rutilans, 26.
Syrnium myrtha, 12.
nebulosum, 108, 265.
nebulosum alleni, 130, 137, 240.

TACHYCINETA bicolor, 132, 138, 387.
Tanager, Scarlet, 36, 329.
Summer, 70, 329.
Tanagra bonariensis, 345.
Teal, Blue-winged, 364, 389.
Green-winged, 364.
Tern, Black, 360.
Bridled, 80, 360.
Cabot's, 362.
Common, 342, 362.
Least, 80, 362, 387.
Roseate, 362.
Royal, 80, 362.
Sooty, 80, 358, 360.
Thalurania furcatoides, 30.
glaucopsis, 30.
Thamnophilus ambiguus, 28.
inornatus, 28.
luctuosus, 28.
melanurus, 28.
nævius, 28.
nigrocinereus, 28.
radiatus nigricristatus, 28.
rufater, 29.
simplex, 28.
Thompson, D'A. W., notice of his paper on the systematic position of *Hesperornis*, 304.
Thompson, E. E., notice of his 'Birds of Manitoba,' 301.
Thrasher, 333.
Blue, 66.
Brown, 32, 66, 127, 197, 333.
Thriponax javensis, 7, 8.
Thrush, Bicknell's, 173.
Brown, 32, 152.
Gray-cheeked, 151, 173.
Hermit, 197.
Plumbeous, 387.
Red-legged, 387.
Willow, 173.
Wood, 197, 333.
Thryophilus modestus, 275.
Thryothorus bewickii, 172, 245, 333.
guadeloupensis, 49.
ludovicianus, 106, 127, 138, 152, 333.
Tigrisoma brasiliense, 161.
Tinamus guttatus, 163.
tao, 163.
Tit, Tufted, 127.
Titmouse, Carolina, 152.
Tufted, 152, 153, 333.
Tityra albitorques, 25.
cayana, 25.
semifasciata, 25.
Todd, W. E. C., breeding of *Dendroica maculosa* in Western Pennsylvania, 116; breeding of *Totanus solitarius* and *Otocoris alpestris praticola* in Western Pennsylvania, 236: nesting of the Cerulean Warbler (*Dendroica cærulea*) in Beaver County, Pennsylvania, 238; notes on the occurrence of uncommon species at Beaver, Pa., 240; further note on *Otocoris alpestris praticola*, 395; notes on the Mniotiltidæ of western Pennsylvania, 397.
Tomtit, 333.
Torrey, B., the Bluebird wintering near Boston, 239.
Totanus flavipes, 47, 48, 119, 164, 337, 338, 350, 394.
melanoleucus, 47, 119, 133, 137.
solitarius, 48, 137, 236.
solitarius cinnamomeus, 48.
Towhee, 108, 152, 197, 327, 329.
Mountain, 146.
Red-eyed, 127.
White-eyed, 128.
Townsend, C. H., notice of his paper 'Birds from the Coasts of Western North America and adjacent Islands,' etc., 305.
Treat, W. E., *Anas crecca* in Connecticut, 112.
Treron nasica, 13.
olax, 13.
Tringa bairdii, 240.
maculata, 48.
maritima, 289.
minutilla, 48, 164, 190, 351.
Tringoides macularis, 163.
Trochilus calliope, 88, 115.
colubris, 109, 138, 257-268, 270, 328, 389.
floresii, 114.
heloisa, 88, 115.
rubromitratus, 114.
Troglodytes aëdon, 173.
hiemalis, 105, 137, 138.
hiemalis pacificus, 397.
intermedius, 275.
tanneri, 305.

Trogon melanurus, 158.
meridionalis, 158.
viridis, 158.
Tryngites subruficollis, 300.
Turdus aliciæ, 151, 173.
aliciæ bicknelli, 173, 352.
aonalaschkæ pallasii, 109, 138, 196, 197, 300.
densirostris, 43.
dominicus, 45.
fuscatus, 43.
fuscescens, 109, 274, 300.
fuscescens salicicolus, 173.
herminieri, 43.
montanus, 42.
mustelinus, 109, 196, 197, 333, 335.
orpheus, 45.
ustulatus swainsonii, 109, 165, 274, 300.
Turkey, 391.
Water, 129.
Wild, 136, 327.
Turtur douraca torquatus, 99.
humilis, 101.
risorius, 101.
Tympanuchus americanus, 110, 388, 390, 391.
pallidicinctus, 367.
Tyrannula musica, 89.
Tyrannus dominicensis, 46-49, 72, 296, 339, 350-352.
magnirostris, 297.
tyrannus, 109, 135, 138, 197.

URIA lomvia, 244, 307.
Urinator imber, 55, 165, 389, 392.
lumme, 55.
Urubitinga anthracina, 272.
urubitinga, 161.

VANELLUS cayennensis, 163.
Vireo alleni, 336.
altiloquus barbatulus, 69, 70, 90, 296, 298, 335, 351.
approximans, 336.
bellii, 107.
calidris, 47-49.
crassirostris, 70, 294-298, 334-336, 338, 350, 351.
crassirostris flavescens, 336, 338, 339.
flavifrons, 127, 135, 138, 329.
noveboracensis, 138.
olivaceus, 127, 135, 138. 152, 165, 166, 263, 329.
solitarius, 127, 138, 152, 165, 169.
solitarius alticola, 169, 329.
Vireo solitarius lucasanus, 147.
vicinior californicus, 89.
Vireo, Bell's, 107.
Black-whiskered, 70.
Blue-headed, 159.
Large-billed, 70.
Mountain Solitary, 329.
Red-eyed, 127, 152, 166, 263, 329.
St. Lucas Solitary, 147.
Solitary, 127, 152.
Yellow-throated, 127, 329.
Vulture, Black, 129.
Turkey. 327, 394.

WARBLER, Antillean Yellow, 68.
Arrow-headed, 387.
Bachman's, 126, 127, 149, 316.
Bay-breasted, 170, 398.
Black-and-white, 67, 69, 262, 331.
Black-and-yellow. 398.
Blackburnian, 170, 398.
Blackpoll, 68, 108, 352.
Black-throated Blue, 68, 69, 398.
Black-throated Green, 171, 331, 398.
Blue-winged, 169.
Blue-winged Yellow, 109, 398.
Blue Yellow-backed, 69.
Canadian, 172, 399.
Cape May, 68, 170. 398.
Cerulean, 170, 238, 398.
Chestnut-sided, 170, 327, 331, 398.
Connecticut, 151, 172.
Dusky, 87.
Golden-winged, 170, 331, 397.
Hooded, 107, 172, 332, 399.
Kentucky, 106, 172, 332, 398.
Kirtland's, 171.
Magnolia, 116, 166, 170.
Mourning, 240, 396, 398.
Myrtle, 166, 197.
Orange-crowned, 127, 152, 170.
Palm, 68, 128, 152, 171.
Parula, 67, 127, 132, 152-155, 331, 398.
Pine, 68. 128, 173, 199, 332.
Prairie, 68, 152, 317398.
Prothonotary, 132.,
Swainson's, 137, 1 69.
Sycamore, 116, 171.
Tennessee, 151, 170, 398.
Wilson's, 172.

Warbler, Worm-eating, 169, 316, 331, 387, 397.
Yellow, 166.
Yellow Palm, 128, 396.
Yellow-rumped, 127, 152.
Yellow-throated, 127, 132, 152.
Warren, B. H., notice of his revised 'Report on the Birds of Pennsylvania', 101.
Water-thrush, Grinnell's, 171.
Large-billed, 188.
Louisiana, 188, 172, 332.
Waxwing, Bohemian, 386.
Cedar, 329, 395.
Wayne, A. T., the Green Heron (*Ardea virescens*) wintering in South Carolina, 232; Marian's Marsh Wren (*Cistothorus marianæ*) on the coast of South Carolina, 239; the Sandhill Crane (*Grus mexicana*) in South Carolina, 308; an abnormal specimen of the Nonpareil (*Passerina ciris*), 395.
Whippoorwill, 33.
Whiskey Jack, 391.
White, G. R., *Coccyzus americanus* breeding at Ottawa, 114.
White, H. G., migration of the Red Phalarope (*Crymophilus fulicarius*) 233.
Willet, 76, 133.
Wintle, E. D., Yellow Palm Warbler (*Dendroica palmarum hypochrysea*), 396.
Woodcock, 386-391.
Woodpecker, Bahaman Hairy, 75.
Downy, 262, 327.
Imperial, 175.
Woodpecker Ivory-billed, 136, 174.
Pileated, 95, 127, 327.
Red-bellied, 127.
Red-cockaded, 128.
Red-headed, 56.
Southern Hairy, 327.
Yellow-bellied, 166, 256.
Woodstar, Bahama, 73, 387.
Worthington, W. W., Golden Eagle at Shelter, Island, New York, 113.
Wren, Bewick's, 172, 333.
Carolina, 106, 127, 152, 333.
House, 173.
Long-billed Marsh, 133, 239.
Marian's Marsh, 239.
Short-billed Marsh, 133, 173.
Winter, 137.

XANTHOLŒMA duvaucelii, 8.
Xanthornus purpurascens, 347.
Xema furcata, 88.
sabinii, 300, 320, 366.
Xiphidiopicus procussus, 189.
Xylolepes validus, 7.

YELLOWLEGS, 394.
Greater, 133.
Yellowthroat, Maryland, 69, 197.
Nassau, 68.

ZANCLOSTOMUS javanicus, 11.
Zebrilus pumilus, 161.
Zenaida jessicæ, 162.
martinicana, 48.
zenaida, 47, 76, 292, 297, 336-338, 351, 352.
Zenaidura clarionensis, 305.
macroura, 137, 190, 309, 350, 390.

ERRATA.

Page	120,	line	14,	for November 20	read	November 2.
"	162,	"	28,	" **erythorothrax**	"	**erythrothorax.**
"	162,	"	34,	" **Pipilo**	"	**Pipile.**
"	222,	"	8,	after maculatus	"	megalonyx.
"	320,	"	25,	for *Zema*	"	*Xema.*
"	354,	"	26,	" **dominicensis**	"	**dominicus.**

OLD SERIES, VOL. XVI } CONTINUATION OF THE BULLETIN OF THE NUTTALL ORNITHOLOGICAL CLUB. { NEW SERIES, VOL. VIII

The Auk

A Quarterly Journal of Ornithology

EDITOR
J. A. ALLEN

ASSOCIATE EDITOR
C. F. BATCHELDER



VOLUME VIII

PUBLISHED FOR

The American Ornithologists' Union

NEW YORK
L. S. FOSTER
1891

CONTENTS OF VOLUME VIII.

NUMBER I.

PAGE

A STUDY OF FLORIDA GALLINULES, WITH SOME NOTES ON A NEST FOUND AT CAMBRIDGE, MASSACHUSETTS. By *William Brewster* 1
A LIST OF BIRDS FROM NORTHEAST BORNEO, WITH FIELD NOTES BY MR. C. F. ADAMS. By *D. G. Elliot* 7
THE HABITS OF THE GOLDEN PLOVER (*Charadrius dominicus*) IN MASSACHUSETTS. By *George H. Mackay* 17
A LIST OF BIRDS OBSERVED AT SANTAREM, BRAZIL. By *Clarence B. Riker*. With Annotations by *Frank M. Chapman* . . 24
SOME BIRD SONGS. By *Simeon Pease Cheney* 32
ON THE WEST INDIAN SPECIES OF THE GENUS *Certhiola* OR *Cœreba*. By *Charles B. Cory* 37
NOTES ON WEST INDIAN BIRDS. By *Charles B. Cory* 41
A COLLECTION OF BIRDS TAKEN BY CYRUS S. WINCH IN THE ISLANDS OF ANGUILLA, ANTIGUA, AND ST. EUSTATIUS, WEST INDIES, DURING APRIL, MAY, JUNE, AND A PART OF JULY, 1890. By *Charles B. Cory* 46
A LIST OF THE BIRDS COLLECTED IN THE ISLANDS OF ST. CROIX AND ST. KITTS, WEST INDIES, DURING MARCH AND APRIL, AND IN GUADELOUPE DURING AUGUST, SEPTEMBER AND OCTOBER, 1890. By *Charles B. Cory* 47
A FURTHER REVIEW OF THE AVIAN FAUNA OF CHESTER COUNTY, SOUTH CAROLINA. By *Leverett M. Loomis* 49
DESCRIPTION OF A NEW SUBSPECIES OF CYPSELIDÆ OF THE GENUS *Chætura*, WITH A NOTE ON THE DIABLOTIN. By *George N. Lawrence* 59
DESCRIPTION OF A NEW SPECIES OF *Rhamphocelus* FROM COSTA RICA. By *George K. Cherrie*. 62
THE BIRDS OF ANDROS ISLAND, BAHAMAS. By *John I. Northrop*. 64
EIGHTH CONGRESS OF THE AMERICAN ORNITHOLOGISTS' UNION . 80
THIRD SUPPLEMENT TO THE AMERICAN ORNITHOLOGISTS' UNION CHECK-LIST OF NORTH AMERICAN BIRDS 83

RECENT LITERATURE.

Sharpe's Catalogue of the Sturniformes, 90; Hargitt's Catalogue of the Woopeckers, 92; Merriam's 'Results of a Biological Survey of the San Francisco Mountain Region and Desert of the Little Colorado, Arizona,' 95; Seebohm's Birds of the Japanese Empire, 99; Warren's Revised Report on the Birds of Pennsylvania, 101; Belding's 'Land Birds of the Pacific District,' 104; A Catalogue of the

Birds of New Jersey, 104; Rives's Catalogue of the Birds of the Virginias, 105; Minor Ornithological Publications, 106; Publications Received, 110.

GENERAL NOTES.

Anas crecca in Connecticut, 112; Barrow's Golden-eye (*Glaucionetta islandica*) near Washington, D. C., 112; Second Occurrence of the White-faced Glossy Ibis (*Plegadis guarauna*) in Kansas, 112; Phalaropes at Swampscott, Mass., 112; Golden Eagle at Shelter Island, New York, 113; *Falco dominicensis* Gmel. versus *Falco sparverioides* Vig., 113; *Strix pratincola* again near Troy, N. Y., 114; American Barn Owl (*Strix pratincola*) on Long Island, N. Y., 114; *Coccyzus americanus* breeding at Ottawa, 114; A New Name Necessary for *Selasphorus floresii* Gould, 114; Note on the Alleged Occurrence of *Trochilus heloisa* (Less. & De Latt.) within North American Limits, 115; *Scenopœetes dentirostris*, 115; *Ammodramus caudacutus nelsoni* and *A. c. subvirgatus* in Connecticut, 115; Note on *Junco hyemalis thurberi* Anthony, 115; Black-throated Bunting (*Spiza americana*) on Long Island, N. Y., 116; Breeding of *Dendroica maculosa* in Western Pennsylvania, 116; Correction, 116; The Mockingbird at Springfield, Mass., 117; Note on *Copsychus adamsi*—Correction, 117; Further Cape Cod Notes, 117; Uncommon Birds for Nantucket Island, Mass., 120.

NOTES AND NEWS.

Obituary, Dr. Ferdinand Krauss, 120; Henry Davis Minot, 121; Photographs at the A. O. U. Meeting, 121; Address of the Retiring President, 121; Amendments to the By-Laws of the A. O. U., 121; Dr. Merriam's Explorations, 122; Proposed Studies of the *Falco sparverius* Group and of *Gallinago delicata*, 123; An Investigation of the Genus *Colaptes*, 123; Ornithologists at the A. A. A. S., 124; Mr. D. H. Talbot's Collections, 124; Mr. W. E. D. Scott in Jamaica, 124; Change of Address of the Treasurer of the A. O. U., 124.

NUMBER II.

NOTES ON THE BIRDS OF THE LOWER SUWANEE RIVER. By *William Brewster* and *Frank M. Chapman* 125
DESCRIPTION OF SEVEN SUPPOSED NEW NORTH AMERICAN BIRDS By *William Brewster* 139
NOTES ON BACHMAN'S WARBLER (*Helminthophila bachmani*). By *William Brewster* 149
A LIST OF BIRDS OBSERVED AT SANTAREM, BRAZIL. By *Clarence B. Riker*. With Annotations by *Frank M. Chapman* 158
SUMMER BIRDS OF THE BRAS D'OR REGION OF CAPE BRETON ISLAND, NOVA SCOTIA. By *Francis H. Allen* 164
A FURTHER REVIEW OF THE AVIAN FAUNA OF CHESTER COUNTY, SOUTH CAROLINA. By *Leverett M. Loomis* 167
THE PRESENT STATUS OF THE IVORY-BILLED WOODPECKER (*Campephilus principalis*). By *Edwin M. Hasbrouck* 174

NOTES ON SOME SPECIES OF BIRDS OF THE ISLAND OF CUBA. By *Dr. John Gundlach* 187
DESCRIPTION OF A SUPPOSED NEW MYRMECIZA. By *George K. Cherrie* 191
BIRD WAVES AND THEIR GRAPHIC REPRESENTATION. By *Witmer Stone* 194
THE LABRADOR DUCK:—A LIST OF THE EXTANT SPECIMENS IN NORTH AMERICA, WITH SOME HISTORICAL NOTES. By *William Dutcher* 201
DESCRIPTION OF A NEW SPECIES OF *Mimocichla*, FROM THE ISLAND OF DOMINICA, WEST INDIES. By *J. A. Allen* 217
SOME BIRD SKELETONS FROM GUADELOUPE ISLAND. By *Frederic A. Lucas*. 218

RECENT LITERATURE.

The Ornithology of 'The Century Dictionary,' 222; Chapman on a Collection of Birds from British Columbia, 224; Hagerup and Chamberlain's Birds of Greenland; 226; Nicholson's Translation of Sundevall's 'Tentamen,' 227; Goss's 'History of the Birds of Kansas,' 228; A Forgotten Volume, 230; Publications Received, 230.

GENERAL NOTES.

A Breeding Place of *Pelecanus fuscus*, 231; The Whistling Swan in Massachusetts, 232; The Green Heron (*Ardea virescens*) Wintering in South Carolina, 232; Some Rookeries on the Gulf Coast of Florida, 233; Migration of the Red Phalarope (*Crymophilus fulicarius*), 233; Breeding of *Totanus solitarius* and *Otocoris alpestris praticola* in Western Pennsylvania, 236; *Falco islandicus* L. in Labrador, 236; Protective Coloration in the Genus *Ægialitis*, 236; A Peculiar Character Referable to the Base of the Skull in *Pandion*, 236; *Megascops asio macfarlanei*—a Correction, 237; Scott's Oriole (*Icterus parisorum*) in Central New Mexico, 237; Scott's Oriole in California, 238; Nesting of the Cerulean Warbler (*Dendroica cærulea*) in Beaver County, Pennsylvania, 238; Marian's Marsh Wren (*Cistothorus marianæ*) on the Coast of South Carolina, 239; The Bluebird Wintering near Boston, 239; Notes on the Occurrence of Uncommon Species at Beaver, Pa., 240; *Cistothorus marianæ*, *Buteo lineatus alleni*, and *Syrnium nebulosum alleni* in South Carolina, 240.

CORRESPONDENCE.

Camera Notes for Ornithologists, 240; Work of the Delaware Valley Ornithological Club during 1890, 244.

NOTES AND NEWS.

Obituary, Colonel N. S. Goss, 245; New Ornithological Journals, 247; Call for further Material for an Investigation of the Sparrow Hawks, 248; A Proposed Investigation of the Bronzed, Purple, and Florida Grackles, 248.

NUMBER III.

OBSERVATIONS ON THE BIRDS OF JAMAICA. I. NOTES ON THE HABITS OF THE YELLOW-BILLED TROPIC BIRD (*Phaëton flavirostris*). By *W. E. D. Scott* 246
YELLOW-BELLIED WOODPECKERS AND THEIR UNINVITED GUESTS By *Frank Bolles* 256
A PRELIMINARY LIST OF THE BIRDS OF SAN JOSÉ, COSTA RICA. By *George K. Cherrie* 271
THE SCOTERS (*Oidemia americana*, *O. deglandi*, and *O. perspicillata*) IN NEW ENGLAND. By *George H. Mackay* 279
Junco carolinensis SHOWN TO BE A SUBSPECIES. By *Jonathan Dwight, Jr.* 290
LIST OF BIRDS TAKEN AND OBSERVED IN CUBA AND THE BAHAMA ISLANDS, DURING MARCH AND APRIL, 1891. By *Charles B. Cory*. 292
LIST OF BIRDS COLLECTED BY C. S. WINCH, IN THE CAICOS ISLANDS AND INAGUA, BAHAMAS, DURING JANUARY AND FEBRUARY, AND IN ABACO IN MARCH, 1891. By *Charles B. Cory* 295

RECENT LITERATURE.

Gätke's 'Die Vogelwarte Helgoland,' 299; Cory's 'Birds of the Bahama Islands,' 300; Grant's 'Our Common Birds,' 301; Thompson's 'Birds of Manitoba,' 301; Canadian Bird Notes, 302; Stone's List of 'Birds collected in Yucatan and Southern Mexico,' 303; The Owls in the Collection of the Philadelphia Academy of Natural Sciences, 303; Stone on the Genus *Psilorhinus*, 304; Professor Thompson on the Systematic Position of *Hesperornis*, 304; Townsend on the Birds of the Coast and Islands of Upper and Lower California, 305; Palmer on Birds observed during the Cruise of the 'Grampus,' 305; Lucas on the Anatomy and History of the Great Auk, 306; Publications Received, 306.

GENERAL NOTES.

Brünnich's Murre in Connecticut, 307; The Sandhill Crane (*Grus mexicana*) in South Carolina, 308; Capture of a Fourth Specimen of *Ardetta neoxena*, 309; Notes on the Nest and Habits of Cory's Bittern (*Botaurus neoxenus*), 309; *Phalaropus lobatus* off Scituate, Mass., 310; The Wild Pigeon (*Ectopistes migratorius*), 310; The Breeding Range of the Sparrow Hawk (*Falco sparverius*) in Texas, 312; Great Gray Owl in Worcester County, Mass., 313; Acadian Owl (*Nyctala acadica*) at Washington, D. C., 313; Occurrence of the Groove-billed Ani at Jupiter Inlet, Florida, 313; Groove-billed Ani (*Crotophaga sulcirostris*) in Arizona, 313; The First Plumage of *Otocoris alpestris strigata* Hensh., 314; European Goldfinch (*Carduelis carduelis*) Breeding in Worcester County, Mass., 314; Description of the Nests and Eggs of *Dendroica graciæ* and *Contopus pertinax*, 314; A Female *Piranga rubra* Assuming the Plumage of the Male, 315; Capture of *Geothlypis poliocephala palpebralis* in Cameron County, Texas, 316; Bachman's Warbler (*Helminthophila bachmani*) at Raleigh,

N. C., 316; Note on *Mimocichla verrillorum*, 317; The Robin Wintering at Godbout, Canada, 317; On Two Birds New to Louisiana, 318.

CORRESPONDENCE.

Florida Heron Rookeries, 318; 'Birds of Greenland,' 319.

NOTES AND NEWS.

Colored Plates in 'The Auk', 320; Obituary, John C. Cahoon, 320; Texan Ornithology, 321; Ornithological Exploration, 321; Investigation of *Colaptes*, 322; The Audubon Monument Fund, 322.

NUMBER IV.

JUNE BIRDS OF CAESAR'S HEAD, SOUTH CAROLINA. By *Leverett M. Loomis* 323
LIST OF BIRDS COLLECTED ON THE BAHAMA ISLANDS BY THE NATURALISTS OF THE FISH COMMISSION STEAMER "ALBATROSS." By *Robert Ridgway* 333
'FIRE-LIGHTING.' By *George H. Mackay* 340
A REVISION OF THE SPECIES OF *Molothrus* ALLIED TO *M. bonariensis* (GM.). By *Witmer Stone* 344
DESCRIPTION OF NEW BIRDS FROM THE BAHAMA ISLANDS, WITH REMARKS ON THE SPECIES OF *Speotyto* WHICH OCCUR IN THE WEST INDIES. By *Charles B. Cory* 348
LIST OF BIRDS OBTAINED BY MR. C. S. WINCH ON THE ISLANDS OF GREAT BAHAMA AND ABACO, BAHAMA ISLANDS, DURING JUNE, AND ON ELEUTHERA IN JULY, 1891. By *Charles B. Cory* . . 350
LIST OF BIRDS COLLECTED ON THE ISLAND OF INAGUA, BAHAMA ISLANDS, FROM MAY 1 TO JULY 10, 1891. By *Charles B. Cory* . 351
ON A COLLECTION OF BIRDS MADE ON THE ISLANDS OF ANGUILLA AND CAY SAL OR SALT CAY, BAHAMA ISLANDS, BY MR. CYRUS S. WINCH, DURING MAY, 1891. By *Charles B. Cory* . . . 352
OBSERVATIONS ON THE BIRDS OF JAMAICA, WEST INDIES. II. A LIST OF THE BIRDS RECORDED FROM THE ISLAND, WITH ANNOTATIONS. By *W. E. D. Scott* 353
TERTIARY FOSSILS OF NORTH AMERICAN BIRDS. By *R. W. Shufeldt*, M. D. 365
THE CAROLINA PAROQUET (*Conurus carolinensis*). By *Edwin M. Hasbrouck* 369

RECENT LITERATURE.

Sharpe's Review of Recent Attempts to Classify Birds; 379, Hornaday's Handbook of Taxidermy and Zoölogical Collecting, 381; Butler's Birds of Indiana, 383; Colburn and Morris's 'Birds of the Connecticut Valley in Massachusetts,' 384; Merriam's List of Birds observed in Idaho, 385; Maynard's 'Contributions to Science', 385; Minor Ornithological Publications, 387; Publications Received, 392.

GENERAL NOTES.

The Yellowlegs (*Totanus flavipes*) Breeding in Ontario County, N. Y., 394; The Turkey Vulture (*Cathartes aura*) in Ontario County, N. Y., 394; An Abnormal Specimen of *Coccyzus maynardi*, 394; Further Notes on *Otocoris alpestris praticola*, 395; The English Sparrow (*Passer domesticus*) in Nassau, N. P., 395; Former Occurrence of *Spiza americana* in Northern New Jersey, 395; An Abnormal Specimen of the Nonpareil (*Passerina ciris*), 395; The Cedar Waxwing and American Dipper in Costa Rica, 395; Another Massachusetts Record for the Mockingbird, 395; *Geothlypis philadelphia* Breeding in Western New York, 396; Breeding of the Mourning Warbler in Ontario County, N. Y., 396; Yellow Palm Warbler (*Dendroica palmarum hypochrysea*), 396; Bird Notes from Clatrop County, Oregon, 396; Notes on the Mniotiltidæ of Western Pennsylvania, 397; Note regarding the Islands of Maraguana and Samana, Bahamas, 399.

NOTES AND NEWS.

The Frontispiece, 400; Obituary John I. Northrop, 400; August von Pelzeln, 400; Ninth Congress of the A. O. U., 400; Second International Ornithological Congress, 401; A New Manual of North American Birds, 401; Ornithological Explorations, 402; A Query from the Treasurer of the A. O. U., 402.

INDEX 403
ERRATA 421
CONTENTS OF VOL. VIII iii
OFFICERS AND COMMITTEES OF THE A. O. U ix
MEMBERS OF THE A. O. U. x